参考文献

Amit,Y.,Grenander,U. and Piccioni,M(1991), Structural image restoration through deformable templates, Journal of the American Statistical Association 86 376-387.

Barry,D. and Hartigan,J.A.(1993), A Bayesian analysis for change point problems, Journal of the American Statistical Association 88 309-319.

Berg,B.A. and Celik,T.(1992a), New approach to spin-glass simulations, Physical Review Letters 69 2292-2295.

Berg,B.A. and Celik,T.(1992b), Multicanonical spin glass simulations, Internatinal Journal of Modern Physics C 3 1251-1274.

Berg,B.A. and Neuhaus,T.(1992), Multicanonical ensemble: a new approach to simulate first-order phase transitions, Physical Review Letters 68 9-12.

Besag,J.(1974) , Spatial interaction and the statistical analysis of lattice systems , The Journal of the Royal Statistical Society B 36 192-236 (with discussion).

Besag,J.(1986) , On the statistical analysis of dirty pictures, The Journal of the Royal Statistical Society B 48 259-302 (with discussion).

Besag,J.(1989), Towards Bayesian image analysis, Journal of Applied Statistics 16 395-407.

Besag,J and Green,P.J.(1993), Spatial statistics and Bayesian computation, Journal of Royal Statistical Society B 55 25-37 (with discussion).

Besag,J., Green,P., Higdon,D. and Mengersen,K. (1995) , Bayesian computation and stochastic systems, Statistical Science 10 3-66 (with discussion).

Besag,J., York,J. and Mollié,A (1991) , Bayesian image restoration, with two applications in spatial statistics , Annals of Institute of Statistical Mathematics 43 1-59 (with discussion).

Binder,K.(ed.) (1986) , Monte Carlo Methods in statistical physics (2nd ed.), Topics in current physics vol.7 , Springer-Verlag, Berlin.

Binder,K.(ed.)(1987), Applications of the Monte Carlo Method in statistical physics (2nd ed.) , Topics in current physics vol.36 , Springer-Verlag, Berlin , (1st ed.(1984), 2nd ed. は未入手).

Binder,K.(ed.) (1992), The Monte Carlo Method in Condensed Matter Physics, Topics in Applied Physics vol.71 , Springer-Verlag, Berlin (未入手).

Binder,K. and Heermann,D.W. (1992), Monte Carlo simulation in statistical physics An introduction (2nd ed.), Springer series in solid-state sciences 80 , Springer-Verlag, Berlin.

Binder,K. and Stauffer,D. (1984), A simple introduction to Monte Carlo simulation, and some specialized topics, in Applications of the Monte Carlo Method in statistical physics, Topics in current physics vol.36 , Ed. K. Binder, Springer-Verlag, Berlin, (2nd ed.(1987) にも載っていると思うが未確認).

Binder,K. and Young,A.P. (1986), Spin glasses: experimental facts, theoretical concepts, and open questions , Reviews of Modern Physics 58 801-976.

Camevali,P, Coletti,L and Patarnello,S (1985) , Image processing by simulated annealing , IBM J. Res. Develop. 29 NO.6 569-579.

Carlin,B.P. and Chib,S. (1995), Bayesian model choice via Markov chain Monte Carlo Methods, The Journal of the Royal Statistical Society B 57 No.3 473-484.

Carlin,B.P., Polson,N.G. and Stoffer,N.G.(1992), A Monte Carlo approach to nonnormal and nonlinear state-space modeling, Journal of the American Statistical Association 87 493-500.

Carrington,P.J., Heil,G.H. and Berkowitz,S.D.(1979/80), A Goodness-of-fit index for blockmodels, Social Networks 2 219-234.

Celeux,G.(1986), Validity test in cluster analysis using a probabilistic teacher algorithm, Compstat, 86 163-168 Springer-Verlag, Berlin.

Celeux,G. and Diebolt,J.(1985), The SEM algorithm: a probabilistic teacher algorithm derived from the EM algorithm for mixture problem, Computational Statistics Quarterly 2 73-82.

Celeux,G. and Govaert,G. (1992), A classification EM algorithm for clustering and two stochastic versions, Computational Statistics and Data Analysis 14 315-332.

Celeux,G. and Govaert,G. (1993), Comparison of the mixture and the classification maximum likelihood in cluster analysis, J. Statist. Comput. Simul. 47 127-146.

Chan,K.S. and Ledolter,J. (1995), Monte Carlo EM estimation for time series models involving counts, Journal of the American Statistical Association, 90, 242-252.

Chellappa,R. and Jain,A.K. (eds.) (1993), Markov Random Fields: Theory and Application, Academic Press, San Diego.

Cheng,B. and Titterington,D.M. (1994) , Neural networks: a review from a statistician perspective, Statistical Science 9 2-54.

Cross,G.R. and Jain,A.K. (1983) , Markov random field texture models , IEEE Transactions on Pattern Analysis and Machine Intelligence 5 25-39.

Dempster,A.P., Laird,N.M., Rubin,D.B. (1977) , Maximum likelihood from incomplete data via the EM algorithm , The Journal of the Royal Statistical Society B 39 1-38 (with discussion).

Diebolt,J and Robert,C.P.(1994), Estimation of finite mixture distributions through Bayesian sampling, The Journal of the Royal Statistical Society B 56 363-375.

Dinten,J.M., Guyon,X., and Yao,J.F. (1991), On the choice of the regularization parameter: The case of binary images in the Bayesian restoration framework , in Spatial Statistics and Imaging Ed. A. Possolo, LECTURE NOTES-MONOGRAPH SERIES Vol.20, Institute of Mathematical Statistics, Hayward, California.

Dubes,R.C. and Jain,A.K.(1989), Random field models in image analysis, Journal of Applied Statistics 16 No.2 131-164.

Frank,O. and Strauss,D.(1986), Markov graphs , Journal of the American Statistical Association 85 832-842.

福島孝治 (1994) , 物理学会 秋の分科会.

伏見正則 , 手塚集 (1981) , 多次元分布が一様な疑似乱数列の生成法 , 応用統計学 10 151-163 .

Gelfand,A.E. and Smith,A.F.M.(1990), Sampling-based approaches to calculating marginal densities , Journal of the American Statistical Association 85 398-409.

Gelfand,A.E., Hills,S.E., Racine-poon,A. and Smith,A.F.M.(1990), Illustration of Bayesian inference in normal data models using Gibbs sampling , Journal of the American Statistical Association 85 972-985.

Geman,D. and Geman,S.(1986) , Bayesian image analysis , in Disordered Systems and Biological Organization NATO ASI series F20 , Eds. E.Bienenstock et al., Springer-Verlag, Berlin.

Geman,D., Geman,S. and Graffigne,C.(1987) , Locating texture and object boundaries , in Pattern Recognition Theory and Applications NATO ASI series F30, Eds. P.A.Devijver and J.Kittler, Springer-Verlag, Berlin.

Geman,D., Geman,S., Graffigne,C. and Dong,P. (1990), Boundary detection by constrained optimization, IEEE Transactions on Pattern Analysis and Machine Intelligence 12 609-628.

Geman,S. and Geman,D.(1984) , Stochastic relaxation, Gibbs distributions, and the Bayesian restoration of images , IEEE Transactions on Pattern Analysis and Machine Intelligence 6 721-741.

Geman,S. and McClure,D.E. (1987) , Statistical methods for tomographic image reconstruction , Proc. of the 46th Session of the ISI, Bulletin of the ISI, Vol.52.

Geyer,C.J.(1991) , Markov chain Monte Carlo maximum likelihood, in Computing Science and Statistics: Proc. of the 23rd symposium on the interface(Ed. E.M.Keramides), pp.156-163 Interface Foundation, Fairfax Station, Va.

Geyer,C.J.(1992) , Practical Markov chain Monte Carlo (with discussion), Statistical Science 7 473-511.

Geyer,C.J. and Thompson,E.A.(1992) , Constrained Monte Carlo maximum likelihood for dependent data (with discussion), Journal of Royal Statistical Society B 54 657-699.

Geyer,C.J. and Thompson,E.A. (1995), Annealing Markov chain Monte Carlo with applications to ancestral inference , Journal of the American Statistical Association 90 909-920.

Gilks,W.R., Clayton,D.G., Spiegelhalter,D.J. Best,N.G., McNEIL,A.J., Sharples,L.D. and Kirby,A.J.(1993), Modelling complexity: Applications of Gibbs sampling in medicine, Journal of Royal Statistical Society B 55 39-52.

Gilks,W., Spiegelhalter,D. and Richardson,S.(eds)(1996), Markov Chain Monte Carlo in practice , Chapman and Hall, London New York.

Goodman,J. and Sokal,A.D.(1989), Multigrid Monte Carlo method. Conceptual foundations, Physical Review D 40 2035-2071.

Gordon,K and Smith,A.F.M.(1990), Modeling and monitoring biomedical time series, Journal of the American Statistical Association 85 328-337.

Gray,A.J., Kay,J.W and Titterington,D.M.(1992), On the estimation of noisy binary Markov random fields, Pattern recognition 25 749-768.

Gray,A.J., Kay,J.W and Titterington,D.M.(1994), An emphirical study of the simulation of various models used for images, IEEE Transactions on Pattern Analysis and Machine Intelligence 16 pp.507-513.

Grenandar,U. and Miller,I.M. (1994), Representations of knowledge in complex systems , Journal of Royal Statistical Society B, 56 549-603 (with discussion).

Hansell,S.(1984), Cooperative groups, weak ties and integration of peer friendships, Social Psychology Quarterly 47, 316-328, (未入手、 Wang and Wong(1987) に引用).

Hrycej,T. (1990), Gibbs sampling in Bayesian network, Artificial Intelligence 46 351-363.

長谷川政美, 種村正美 (1986), なわばりの生態学 生態のモデルと空間パターンの統計, 東海大学出版会.

Hastings,W.K. (1970), Monte Carlo sampling methods using Markov chains and their applications, Biometrica 57 97-109.

Hinton,G.E. and Sejnowski,T.J.(1986) , Learning and relearning in Boltzmann machines , in Parallel Distributed Processing Vol.1 , Eds. E. Rumelhart and J.L. McClelland., MIT Press, Cambridge, Mass.

Holland,P.W.,Laskey,K.B., and Leinhardt,S.(1983), Stochastic block models: first steps, Social Networks 5 109-137.

Iba,Y.(1989), Bayesian statistics and statistical mechanics , in cooperative dynamics in complex physical systems, Ed. H.Takayama, Springer-Verlag, Berlin.

伊庭幸人 (1991a), メトロポリス的モンテカルロ法の巨視的パラメータ推定への応用, – 2 次元イジング模型の場合 –, 統計数理 39 No.1 1-21.

伊庭幸人 (1991b), メトロポリス的モンテカルロ法の擬ベイズ法への応用, – 変化点問題を例として – , 統計数理 39 No.2 225-244.

Iba,Y.(1992), An application of Metropolis-type algorithm to a complex classification problem , ISM Research Memorandum No.440.

伊庭幸人 (1993a) , ベイズ統計と統計物理 - 有限温度での情報処理 - , 物性研究 60-6 (1993 年 9 月号) 677-699

伊庭幸人 (1993b) , 統計数理研究所 年度末発表会 (1992 年度) 要旨, メトロポリス的モンテカルロ法の緩和について, 統計数理 41 No.1 65-67.

伊庭幸人 (1994) , 統計数理研究所 年度末発表会 (1993 年度) 要旨, マルコフ連鎖モンテカルロ法と適応的デザイン, 統計数理 42 No.2 343-345.

伊庭幸人 (1996a) , 学習と階層 — ベイズ統計の立場から —, 「物性研究」 65-5 (1996 年 2 月号) 657-677.

伊庭幸人 (1996b) , ベイズ統計と統計物理 (物性研究 1993 年 9 月号) への訂正と追加, 「物性研究」 65-5 (1996 年 2 月号) 678-685.

石黒真木夫 (1985), ベイズ型重回帰モデル, 統計数理 33 No.1, pp.8-11.

石川真澄 (1991) , ネットワーク学習アルゴリズムの最近の話題, 計測と制御, Vol.30, 285-290.

石川幹人、金久實 (1993), 文字列を比較し並べる, 小特集「生命の設計図に迫る!」, 日本物理学会誌 Vol.48 No.5.

Kikuchi,M. and Okabe,Y.(1992), Order-parameter distribution function and order of the phase trsnsition of the ferromagnetic Potts model , Journal of Physical Society of Japan 61 3503-3510.

Kikuchi,M, Ito,N. and Okabe,Y. (1994), Statistical dependence and related topics, to be puplished in Computer Simulation in Condensed Matter Physics VII , Eds. D.P.Landau, K.K.Mon, and H.B.Schüttler, Springer-Verlag, Berlin.

木村宏一, 瀧和男 (1990) , 時間的一様な並列アニーリングアルゴリズム, 電子情報通信学会 NC-90-1 1-8.

Kirkpatrick,S, Gellatt,C.D. and Vecchi,M.P.(1983), Optimization by simulated annealing , Science 220 671-680.

Kitagawa,G.(1987) , Non-Gaussian state space modeling of nonstationary time series (with discussion) , Journal of the American Statistical Association 82 1032-1063.

Kitagawa,G. and Akaike,H. (1982), A quasi Bayesian approach to outlier detection , Annals of Institute of Statistical Mathematics 34 Part B 389-398.

Kong,A.(1991), Analysis of pedigree data using methods combining peeling and Gibbs sampler, in Computing Science and Statistics: Proc. of the 23rd symposium on the interface(Ed. E.M.Keramides), pp.379-385 Interface Foundation, Fairfax Station, Va.

小西健三、瀧和男、木村宏一 (1995), 温度並列シミュレーテッド・アニーリング法とその評価, 情報処理学会論文誌 Vol.36 No.4 797-807.

Kronfeld,A.(1993), Dynamics of Lengevin simulations, Progress of Theoretical Physics Supplement No.111 293-311.

Lawrence,C.E., Boguski,S.F., Liu,M.S., Neuwald,A. and Wooton,J.(1993), Detecting subtle sequence signals: A Gibbs sampling strategy for multiple alignment, Science 262 208-214.

Liang,S. (1992) , Application of cluster algorithm to spin glasses, Physical Review Letters 69 2145-2148.

Liu,J.S.(1994), The collapsed Gibbs sampler in Bayesian computations with applications to a gene regularization problem, Journal of the American Statistical Association 89 958-966.

Liu,J.S., Neuwald,A.F. and Lawrence,C.E. (1995), Bayesian models for multiple local sequence alingment and Gibbs sampling strategies, Journal of the American Statistical Association 90 1156-1170.

MacKay, D.J.C. (1992) , A Practical Bayesian Framework for Backprop Networks, Neural Computation 4 448-472.

Marinari,E. and Parisi,G.(1992) , Simulated tempering: a new Monte Carlo Scheme , Europhysics Letters 19 451-458.

Marroquin,J., Mitter,S. and Poggio,T. (1987) , Probabilistic solution of ill-posed problems in computational vision , Journal of the American Statistical Association 82 76-89.

Metropolis.N, Rosenbluth,A.W., Rosenbluth,M.N., Teller,A.H. and Teller,E (1953), Equation of state calculation by fast computing machines , Journal of the Chemical Physics 21 1087-1092.

Mezard,M., Parisi,G and Virasoro,M.A.(1987) , Spin Glass Theory and Beyond , World Scientific, Singapore.

Miyashita,S. and Takano,H.(1985), Dynamical nature of the phase transition of the two-dimensional kinetic Ising model, Progress of Theoretical Physics 73 1122-1140.

Neal,R.M.(1995), Bayesian learning for neural networks, Thesis, Graduate Deppartment of Computer Science, University of Toronto., (Neal の www のアドレスは ftp://ftp.cs.toronto.edu/pub/radford/www/homepage.html).

Nishimori,H. (1993) , Optimum decoding temperature for error-correcting codes, Journal of Physical Society of Japan 62 2973-2975.

Noguchi,T and Go,N. (1985), Efficient Monte Carlo method for simulation of fluctuating conformations of native proteins, Bioploymers 24 527-546.

Noma,E. and Smith,D.R.(1985), Benchmark for the blocking of sociometric data, Psychological Bulletin 97 583-591.

Ogata,Y.(1990) , A Monte Carlo method for objective Bayesian procedure , Annals of Institute of Statistical Mathematics 42 403-433.

Ogata,Y.(1991) , Goodness-of-fit of Bayesian models by the Monte Carlo simulation , in discussion of the paper by Besag,J., York,J. and Mollié,A., Annals of Institute of Statistical Mathematics 43 25-32.

Ogata,Y. and Tanemura,M.(1981) Estimation of interaction potentials of spatial point patterns through the maximum likelihood procedure , Annals of Institute of Statistical Mathematics 33 B 315-338.

Ogata,Y. and Tanemura,M.(1984) , Likelihood analysis of spatial point patterns , The Journal of the Royal Statistical Society B, 46 496-518.

Ogata,Y. and Tanemura,M.(1985), Estimation of interaction potentials of marked spatial point patterns through maximum likelihood method , Biometrics 41 421-433.

Ogata,Y. and Tanemura,M.(1989) , Likelihood estimation of soft-core interaction potentials for Gibbsian point patterns , Annals of the institute of statistical mathematics 41 583-600.

小口武彦 (1970), 磁性体の統計理論 (物理学選書 12), 掌華房.

Ohtsuki,H. and Kawato,M. (1991), Training a hierarchical image model : Estimation of MRF line-process energy provided with image intensity data without a high-level teacher Proc. International Joint Conference on Neural Networks, Seattle.

Paass,G. and Kindermann,J.g. (1995), Bayesian query construction for neural network models, in: Tesauro, G. and Touretzky, D. S. and Leen, T. K. (editors): Advances in Neural Information Processing Systems 7, The MIT Press, Cambridge MA, 1995, 443-450.

Panning,W.H.(1982), Fitting blockmodels to data, Social Networks 4 (1982) 81-101.

Penttinen,A. (1984) , Modelling interactions in spatial point patterns: parameter estimation by the maximum likelihood method, Jyväskylä studies in computer science economics and statistics vol.7 , University of Jyväskylä, Finland (Ph.D Thesis).

Phillips,D.B. and Smith, A.F.M.(1994), Bayesian faces via hierarchical template modeling, Journal of the American Statistical Association 89 1151-1163.

Possolo,A.(ed.)(1991), Spatial Statistics and Imaging , LECTURE NOTES-MONOGRAPH SERIES Vol.20, Institute of Mathematical Statistics, Hayward, California.

Qian,W. and Titterington,D.M.(1989), On the use of Gibbs Markov chain models in the analyisis of images based on second-order pairwise interactive distributions, Journal of Applied Statistics 16 No.2 267-282.

Qian,W. and Titterington,D.M.(1991), Stochastic relaxations and EM algorithms for Markov random fields, J. Statist. Comput. Simul. 40 55-69.

Qian,W. and Titterington,D.M.(1993), Bayesian image restoration: an application to edge-preserving surface recovery, IEEE Transactions on Pattern Analysis and Machine Intelligence 15 748-752.

Rue,H. (1995), New loss functions in Bayesian imaging, Journal of the American Statistical Association 90 900-908.

Ruján,P.(1993), Finite temperature error-correction codes , Physical Review Letters 70 2968-2971.

Rumelhart,D.E, Hinton,G.E. and Williams,R.J. (1986) , Learning internal representation by error propagation , in Parallel Distributed Processing Vol.1 , Eds. Rumelhart,E. and McClelland,J.L., MIT press Cambridge, Mass.

佐藤義治 (1992), クラスター分析における焼き鈍し法の有効性, 計算機統計学 5 No.1 11-18.

Sejnowski,T.J., Kienker,P. and Hinton,G.E.(1986) , Learning symmetry groups with hidden units: Beyond the perceptron, Physica 22D 260-275.

Smith, A.F.M. and Roberts,G.O.(1993), Bayesian computation via the Gibbs sampler and related Markov chain Monte Carlo methods, Journal of Royal Statistical Society B 55 3-23.

Soulas,N.(1989), Spin-glass models as error correcting codes, Nature 339 693-695.

Soulas,N.(1994), Spin-glasses,error-correcting codes and finite temperature decoding, Europhysics letters 25 159-164.

Storvik,G.(1994), A Bayesian approach to dynamic contours through stochastic sampling and simulated annealing, IEEE Transactions on Pattern Analysis and Machine Intelligence 16 976-986.

Strauss,D.(1986), On a general class of models of interaction, SIAM Review 4 513-528.

Strauss,D. and Ikeda,M. (1990) , Pseudolikelihood estimation for social networks , Journal of the American Statistical Association 85 204-212.

Swendsen,R.H. and Wang,J.S.(1986), Replica Monte Carlo simulation of spin-glasses, Physical Review Letters 57 2607-2609.

Swendsen,R.H. and Wang,J.S.(1987), Nonuniversal critical dynamics in Monte Carlo simulation , Physical Review Letters 58 86-88.

Swendsen,R.H. and Wang,J.S.(1988), Low-temperature properties of the $\pm J$ Ising spin glass in two dimension, Physical Review B 38 4840-4844.

高畠一哉 (1992), 不公平な遺伝的アルゴリズム , 1992 年 電子情報通信学会秋期大会 A-172.

高山一 (1991), スピングラス, 丸善.

Tanner,M.A.(1993), Tools for Statistical Inference(2nd ed.), Springer-Verlag, Berlin.

Tanner,M.A. and Wong,W. (1987), The calculation of posterior distributions by data augmentation (with discussion), Journal of the American Statistical Association 82 528-550.

Thompson,E.A.(1991), Probabilities on complex pedigrees; the Gibbs sampler approach, in Computing Science and Statistics: Proc. of the 23rd symposium on the interface(Ed. E.M.Keramides), pp.371-378 Interface Foundation, Fairfax Station, Va.

Thompson,E.A.(1994) Monte Carlo likelihood in genetic mapping, Statistical Science 9 355-366.

Thorne,J.L., Kishino,H. and Felsenstein,J. (1991), An evolutionary model for maximum likelihood alignment of DNA sequences, Journal of Molecular Evolution 33 114-124.

Thorne,J.L., Kishino,H. and Felsenstein,J. (1992), Inching toward reality; an improved likelihood model of sequence evolution, Journal of Molecular Evolution 34 3-16.

Tierney,L.(1994), Markov chains for exploring posterior distributions (with discussion), The Annals of Statistics 22 1701-1762.

Titterington,D.M., Smith,A.F.M and Makov,U.E. (1985), Statistical Analysis of Finite Mixture Distributions, John Wiley and Sons Chichester.

Tsuda,T and Kiyono,T (1964) , Application of the Monte Carlo method to systems of nonlinear algebraic equations , Numerische Mathematik 6 59-67.

Veijanen, A.(1991), A simulation-based estimator for hidden Markov random fields, IEEE Transactions on Pattern Analysis and Machine Intelligence 13 825-830.

Wang,Y.J. and Wong.G.Y. (1987) , Stochastic blockmodels for directed graphs , Journal of the American Statistical Association 82 8-19.

Wasserman,S. and Anderson,C.(1987), Stochastic a posteriori block models: construction and assessment, Social Networks 9 1-36.

West,M.(1995), Bayesian inference in cyclical component dynamical linear model, Journal of the American Statistical Association 90 1301-1312.

Williams,P.M.(1995), Bayesian regularization and pruning using a Laplace prior, Neural Computation, Vol.7, No.1 pp117-143.

Winkler,G.(1995), Image analysis, Random fields and Dynamic Monte Carlo Methods: A Mathematical Introduction, Springer-Verlag, Berlin.

Wu,F.Y.(1982), The Potts model, Review of Modern Physics 54 235-268.

Zellner,A and Min,C.(1995) , Gibbs sampler convergence criteria, Journal of the American Statistical Association 90 921-927.